

HORIZONTAL PANEL - ACCENT FIN INSTALLATION

CLICK TO VIEW



REVISION

0	9/8/25
1	9/30/25
2	7/30/26

HAF-DS-01	C AND I DISCLAIMER
HAF-FP-01	ACCENT FIN PROFILES
HAF-FP-02	ACCENT FIN PROFILES
HAF-IN-01	ACCENT FIN INSTALLATION
HAF-IN-02	ACCENT FIN INSTALLATION
HAF-JA-01	JOINING ACCENT FINS
HAF-JA-02	JOINING ACCENT FINS
HAF-JA-03	ACCENT FIN CAP INSTALLATION
HAF-CAP-01	ACCENT FIN - END CAP AND SPLICES
HAF-CAP-02	ACCENT FIN - END CAP AND SPLICES
HAF-CAP-03	ACCENT FIN - END CAP AND SPLICES
HAF-PJ-01	ENGAGED PANEL JOINT
HAF-PJ-02	INTERMEDIATE SUPPORT
HAF-PJ-03	INTERMEDIATE SUPPORT AT FIN JOINT
HAF-PJ-04	INTERMEDIATE SUPPORT - ISOMETRIC
HAF-OC-01	OUTSIDE CORNER W/ TRIM
HAF-OC-02	OUTSIDE CORNER W/ EXTRUSION
HAF-IC-01	INSIDE CORNER W/ TRIM
HAF-IC-02	INSIDE CORNER W/ EXTRUSION
HAF-FO-01	FRAMED OPENING JAMB W/ JAMB TRIM
HAF-FO-02	FRAMED OPENING JAMB W/ EXTRUSION
HAF-VJ-01	VERTICAL JOINT W/ 2-PC TOP HAT TRIM
HAF-VJ-02	VERTICAL JOINT W/ TRIM-LESS END
HAF-VJ-03	VERTICAL JOINT W/ EXTRUSION

THIS DETAIL PACKAGE IS FOR THE INSTALLATION OF THE ACCENT PANEL ONLY. FOR TYPICAL PANEL INSTALLATION DETAILS PLEASE REFER TO THE KS SERIES HORIZONTAL DETAILS.

INDEX SHEET

DETAIL #: HAF-XX-XX

RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

DISCLAIMERS:

THESE DETAILS ARE PROVIDED AS A GUIDELINE FOR PROPER PANEL AND ASSOCIATED COMPONENT INSTALLATION, AND ARE BASED ON INDUSTRY ACCEPTED PRACTICES.

LOCATION OF VAPOR BARRIERS AND ASSOCIATED SEALANTS IN THESE DETAILS ARE BASED ON TYPICAL DESIGN PRACTICES FOR MOST U.S. CLIMACTIC ZONES. (THE PRIMARY VAPOR BARRIER IS PLACED ON THE "WARM" SIDE IN WINTER).

CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT FASTENING REQUIREMENTS

EXTRUSION SHAPES / ENGAGEMENT MAY VARY FROM THOSE SHOWN.

PROJECTS LOCATED IN AREAS SUBJECT TO EXTREME COLD AND/OR HIGH SNOW LOADS MAY REQUIRE MODIFICATIONS TO THESE DETAILS - CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT RECOMMENDATIONS.

ALL STRUCTURAL SUPPORTS ARE NOT BY KINGSPAN AND ARE SHOWN FOR CLARIFICATION PURPOSES ONLY.

PLEASE VISIT [HTTP://KINGSPANPANELS.US](http://kingspanpanels.us) or [HTTP://WWW.KINGSPANPANELS.CA](http://www.kingspanpanels.ca) TO ENSURE YOU ARE VIEWING THE MOST RECENT AND ACCURATE PRODUCT INFORMATION.

CARE HAS BEEN TAKEN TO ENSURE THAT THE CONTENTS OF THIS PUBLICATION ARE ACCURATE, BUT KINGSPAN AND ITS SUBSIDIARY COMPANIES DO NOT ACCEPT RESPONSIBILITY FOR ERRORS OR FOR INFORMATION THAT IS FOUND TO BE MISLEADING. SUGGESTIONS FOR, OR DESCRIPTION OF, THE END USE OR APPLICATION OF PRODUCTS OR METHODS OF WORKING ARE FOR INFORMATION ONLY AND KINGSPAN LIMITED AND ITS SUBSIDIARIES ACCEPT NO LIABILITY IN RESPECT THEREOF.

REVISION	
REVISION #	DATE
2	7/30/26

COMMERCIAL AND INDUSTRIAL
DISCLAIMER

DETAIL #: HAF-DS-01

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com





HORIZONTAL PANEL - ACCENT FIN INSTALLATION



ACCENT FIN
PRESSURE
PLATE
2000015756





ACCENT FIN
STEPPE
2000015828





ACCENT FIN
CRESCENT
2000015831



ACCENT FIN
SABER
2000015757



ACCENT FIN
LEDGE
2000015833



REVISION

REVISION #	DATE
2	7/30/26

ACCENT FIN PROFILES

DETAIL #: HAF-FP-01

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com





HORIZONTAL PANEL - ACCENT FIN INSTALLATION



ACCENT FIN
GLIDE
2000015834





ACCENT FIN
CUBE
2000015832



ACCENT FIN
NEWEL
2000015762



ACCENT FIN
TRACK
2000015829



REVISION

REVISION #	DATE
2	7/30/26

ACCENT FIN PROFILES

DETAIL #: HAF-FP-02



RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION



WHEN FACE FASTENING:
ACCENT FINNS MAY BE INSTALLED
IN ANY ORIENTATION

FASTENING GUIDE

PRESSURE PLATE (FACE FASTENED)	1/4"-13x1 1/2" PANCAKE DP1 W/ 5/8" BONDED WASHER	2000009739
PRESSURE PLATE (FASTENED TO STRUCTURE)	1/4"-14 PANCAKE DP3 W/ 5/8" BONDED WASHER	BASED ON PANEL THICKNESS
END CAPS TO FIN	POP RIVET	

REVISION

REVISION #	DATE
2	7/30/26

ACCENT FIN
INSTALLATION

DETAIL #: HAF-IN-01



RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION



REVISION	
REVISION #	DATE
2	7/30/26

ACCENT FIN
INSTALLATION

DETAIL #: HAF-IN-02

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.



REVISION	
REVISION #	DATE
2	7/30/26

JOINING ACCENT FINs

DETAIL #: HAF-JA-01

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.



REVISION	
REVISION #	DATE
2	7/30/26

JOINING ACCENT FINS

DETAIL #: HAF-JA-02

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.



NOTE:
STOP PRESSURE PLATE MIN.
 $\frac{1}{4}$ " SHORT OF END TO ALLOW
THERMAL MOVEMENT

REVISION	
REVISION #	DATE
2	7/30/26

ACCENT FIN CAP
INSTALLATION

DETAIL #: HAF-JA-03

RELEASE: 2026

REGION: NORTH AMERICA




www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE: SEE DETAIL HAF-JA-01 TO HAF-JA-03 FOR SPLICE PLATE AND CAP INSTALLATION

NOTE: SEE DETAIL HAF-FP-01 AND HAF-FP-02 FOR ACCENT FIN PROFILES



REVISION	
REVISION #	DATE
2	7/30/26

ACCENT FIN
END CAP AND SPLICES




DETAIL #: HAF-CAP-01
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE: SEE DETAIL HAF-JA-01 TO HAF-JA-03 FOR SPLICE PLATE AND CAP INSTALLATION

NOTE: SEE DETAIL HAF-FP-01 AND HAF-FP-02 FOR ACCENT FIN PROFILES



REVISION	
REVISION #	DATE
2	7/30/26

ACCENT FIN
END CAP AND SPLICES

DETAIL #: HAF-CAP-02

RELEASE: 2026

REGION: NORTH AMERICA





www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE: SEE DETAIL HAF-JA-01 TO HAF-JA-03 FOR SPLICE PLATE AND CAP INSTALLATION

NOTE: SEE DETAIL HAF-FP-01 AND HAF-FP-02 FOR ACCENT FIN PROFILES



REVISION

REVISION #	DATE
2	7/30/26

ACCENT FIN
END CAP AND SPLICES

DETAIL #: HAF-CAP-03

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com




HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.



ACCENT FIN NOT TO BE INSTALLED
THROUGH FEMALE JOINT



FOR FASTENING, SEE INSTALLATION DETAILS HAF-IN-01 AND HAF-IN-02

REVISION	
REVISION #	DATE
2	7/30/26

ENGAGED
PANEL JOINT

DETAIL #: HAF-PJ-01

RELEASE: 2026

REGION: NORTH AMERICA


www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.

NOTE:
ACCENT FIN MUST BE ADJACENT
TO THE FLASHING OR TRIM FOR
ALL DETAIL CONDITIONS.
DO NOT OVERLAP.



NOTE: CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT RECOMMENDATIONS

REVISION	
REVISION #	DATE
2	7/30/26

INTERMEDIATE SUPPORT

DETAIL #: HAF-PJ-02

RELEASE: 2026

REGION: NORTH AMERICA


www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.

NOTE: SEE DETAIL HAF-JA-01
TO HAF-JA-03 FOR SPLICE
PLATE AND CAP INSTALLATION



NOTE: CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT RECOMMENDATIONS

REVISION	
REVISION #	DATE
2	7/30/26

INTERMEDIATE SUPPORT
AT FIN JOINT

DETAIL #: HAF-PJ-03


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION



REVISION	
REVISION #	DATE
2	7/30/26

INTERMEDIATE SUPPORT
ISOMETRIC

DETAIL #: HAF-PJ-04


RELEASE: 2026

REGION: NORTH AMERICA


www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION



NOTE: THROUGH FASTENERS FOR ACCENT FINNS REQUIRED AT PANEL ENDS. ADDITIONAL STEEL MAY BE NEEDED.



NOTE:
PROVIDE FASTENERS FOR
PRESSURE PLATE WITHIN 9\"/>

NOTE:
ADDITIONAL LENGTH (MIN. PANEL THICKNESS)
ADDED TO PANEL LENGTH AT MITERED CORNER
CONDITIONS.

REVISION	
REVISION #	DATE
2	7/30/26

OUTSIDE CORNER
W/ TRIM

DETAIL #: HAF-OC-01


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com




HORIZONTAL PANEL - ACCENT FIN INSTALLATION



FIELD OR FACTORY
APPLIED BUTYL
SEALANT IN PANEL
JOINT(S)

KS JOINT FILLER
GASKET INSTALLED
IN JOINT CAVITY

NOTE: THROUGH FASTENERS FOR
ACCENT FINNS REQUIRED AT PANEL
ENDS. ADDITIONAL STEEL MAY BE
NEEDED.



WIPER GASKET
(FIELD INSTALLED)

CORNER EXTRUSION MALE CAP

3x3 - PART #4083
4x4 - PART #4042
4.5x4.5 - PART #4072
5x5 - PART #4043
7x7 - PART #14154

FIELD MITER CUT
ACCENT FIN

ACCENT FIN COVER CAP

F.I.P. INSULATION
PART #0639

KS JOINT FILLER GASKET
14174

STOP ACCENT FIN PRESSURE
PLATE TO CLEAR EXTRUSION

FASTEN PRESSURE PLATE W/ 1/4"
PANCAKE DP3 FASTENERS W/ 5/8"
BONDED WASHER AT PANEL ENDS

ACCENT FIN PRESSURE PLATE
2000015756

1/4"-13x1 1/2" PANCAKE DP1
FASTENERS W/ 5/8" BONDED
WASHER AT 9" O.C.

EXTERIOR JOINT CAULKED 12"
FROM PANEL ENDS

12 GA. STAINLESS STEEL
HIDDEN FASTENER CLIP
(1 PER PANEL, PER SUPPORT)
SET CLIP IN BUTYL SEALANT

(2) 1/4" HWH DP3 FASTENERS W/O
BONDED WASHER PER CLIP

1/4"-14x1" PANCAKE DP3
FASTENER W/O WASHER
AT 12" O.C.

CONTINUOUS BUTYL SEALANT
W/ MARRIAGE BEAD TO JOINT
FILLER GASKET

CORNER EXTRUSION CAP-FEMALE
2" PANEL - PART #3998
2.5" PANEL - PART #3999
3" PANEL - PART #4000
4" PANEL - PART #4001

VERTICAL SUPPORT
(NOT BY KINGSPAN)

NOTE:
PROVIDE FASTENERS FOR
PRESSURE PLATE WITHIN 9"
MAX. FROM CORNER (TYP.)

NOTE:
ADDITIONAL LENGTH (MIN. PANEL THICKNESS)
ADDED TO PANEL LENGTH AT MITERED CORNER
CONDITIONS.

REVISION

REVISION #	DATE
2	7/30/26

OUTSIDE CORNER
W/ EXTRUSION

DETAIL #: HAF-OC-02


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION



FIELD OR FACTORY
APPLIED BUTYL
SEALANT IN PANEL
JOINT(S)

KS JOINT FILLER
GASKET INSTALLED
IN JOINT CAVITY

NOTE: THROUGH FASTENERS FOR
ACCENT FINNS REQUIRED AT PANEL
ENDS. ADDITIONAL STEEL MAY BE
NEEDED.

VERTICAL SUPPORT
(NOT BY KINGSPAN)

F.I.P. INSULATION
PART #0639

KS JOINT FILLER GASKET
14174

OUTSIDE CORNER TRIM
W/ 1/4"-14x1" PANCAKE DP3
FASTENER W/O WASHER
AT 12" O.C.

CONTINUOUS BUTYL SEALANT
W/ MARRIAGE BEAD TO JOINT
FILLER GASKET

(2) 1/4" HWH DP3 FASTENERS W/O
BONDED WASHER PER CLIP

FASTEN PRESSURE PLATE W/ 1/4"
PANCAKE DP3 FASTENERS W/ 5/8"
BONDED WASHER AT PANEL ENDS

FIELD OR FACTORY APPLIED
CONTINUOUS BUTYL SEALANT
IN VERTICAL PANEL JOINT
INSTALLER TO ENSURE THERE
ARE NO GAPS IN SEALANT

EXTERIOR JOINT CAULKED 12"
FROM PANEL ENDS

CONTINUOUS BUTYL SEALANT
W/ MARRIAGE BEAD TO JOINT
FILLER GASKET

FIELD OR FACTORY APPLIED
CONTINUOUS BUTYL SEALANT
IN VERTICAL PANEL JOINT
INSTALLER TO ENSURE THERE
ARE NO GAPS IN SEALANT

INSIDE CORNER TRIM W/
POP RIVETS AT 8" O.C.

FIELD MITER CUT ACCENT FIN

CONTINUOUS BUTYL TAPE
(OPTIONAL)

ACCENT FIN ASSEMBLY
INSTALLED W/ 1/4"-13x1 1/2"
PANCAKE DP1 FASTENERS W/
5/8" BONDED WASHER AT 9" O.C.

2" - 8"

2" - 8"

NOTE:
PROVIDE FASTENERS FOR
PRESSURE PLATE WITHIN 9"
MAX. FROM CORNER (TYP.)

REVISION

REVISION #	DATE
2	7/30/26

INSIDE CORNER
W/ TRIM

DETAIL #: HAF-IC-01


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com




HORIZONTAL PANEL - ACCENT FIN INSTALLATION



FIELD OR FACTORY
APPLIED BUTYL
SEALANT IN PANEL
JOINT(S)

KS JOINT FILLER
GASKET INSTALLED
IN JOINT CAVITY

NOTE: THROUGH FASTENERS FOR
ACCENT FINS REQUIRED AT PANEL
ENDS. ADDITIONAL STEEL MAY BE
NEEDED.



WIPER GASKET
(FIELD INSTALLED)

VERTICAL SUPPORT
(NOT BY KINGSPAN)

1/4"-14x1" PANCAKE DP3
FASTENER W/O WASHER
AT 12" O.C.

F.I.P. INSULATION
PART #0639

CORNER EXTRUSION CAP
3x3 - PART #4083
4x4 - PART #4042
4.5x4.5 - PART #4072
5x5 - PART #4043
7x7 - PART #14154

CONTINUOUS BUTYL SEALANT
W/ MARRIAGE BEAD TO JOINT
FILLER GASKET

(2) 1/4" HWH DP3 FASTENERS
W/O BONDED WASHER PER
CLIP

FIELD OR FACTORY APPLIED
CONTINUOUS BUTYL SEALANT
IN VERTICAL PANEL JOINT
INSTALLER TO ENSURE THERE
ARE NO GAPS IN SEALANT

FASTEN PRESSURE PLATE W/ 1/4"
PANCAKE DP3 FASTENERS W/ 5/8"
BONDED WASHER AT PANEL ENDS

EXTERIOR JOINT CAULKED
12" FROM PANEL ENDS

KS JOINT FILLER GASKET
14174

CONTINUOUS BUTYL SEALANT
W/ MARRIAGE BEAD TO JOINT
FILLER GASKET

FIELD OR FACTORY APPLIED
CONTINUOUS BUTYL SEALANT
IN VERTICAL PANEL JOINT
INSTALLER TO ENSURE THERE
ARE NO GAPS IN SEALANT

FIELD MITER CUT ACCENT FIN

CORNER EXTRUSION BASE
2" PANEL - PART #3998
2.5" PANEL - PART #3999
3" PANEL - PART #4000
4" PANEL - PART #4001

STOP ACCENT FIN PRESSURE
PLATE TO CLEAR EXTRUSION

ACCENT FIN ASSEMBLY
INSTALLED W/ 1/4"-13x1 1/2"
PANCAKE DP1 FASTENERS W/
5/8" BONDED WASHER AT 9" O.C.

2" - 4"

NOTE:
PROVIDE FASTENERS FOR
PRESSURE PLATE WITHIN 9"
MAX. FROM CORNER (TYP.)

NOTE:
ADDITIONAL LENGTH (MIN. PANEL THICKNESS)
ADDED TO PANEL LENGTH AT MITERED CORNER
CONDITIONS.

REVISION

REVISION #	DATE
2	7/30/26

INSIDE CORNER
W/ EXTRUSION

DETAIL #: HAF-IC-02


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION



NOTE: THROUGH FASTENERS FOR ACCENT FINNS REQUIRED AT PANEL ENDS. ADDITIONAL STEEL MAY BE NEEDED.

FRAMED OPENING
(NOT BY KINGSPAN)

1/4"-14x1" PANCAKE DP3
FASTENER W/O WASHER
AT 12" O.C.

CONTINUOUS BUTYL
SEALANT

JAMB TRIM W/ POP
RIVETS AT 8" O.C.

CONTINUOUS BUTYL
SEALANT BETWEEN TRIMS

KS JOINT FILLER GASKET
14174

ACCENT FIN END CAP W/
POP RIVETS (PREINSTALL)

ACCENT FIN ASSEMBLY
INSTALLED W/ 1/4"-13x1 1/2"
PANCAKE DP1 FASTENERS W/
5/8" BONDED WASHER AT 9" O.C.

CONTINUOUS BUTYL SEALANT
W/ MARRIAGE BEAD TO JOINT
FILLER GASKET

CAP TRIM W/ 1/4"-14x1"
PANCAKE DP3 FASTENER
W/O WASHER AT 12" O.C.

FIELD OR FACTORY APPLIED
CONTINUOUS BUTYL SEALANT
IN VERTICAL PANEL JOINT
INSTALLER TO ENSURE THERE
ARE NO GAPS IN SEALANT

CONTINUOUS BUTYL SEALANT

FASTEN PRESSURE PLATE W/ 1/4"
PANCAKE DP3 FASTENERS W/ 5/8"
BONDED WASHER AT PANEL ENDS

(2) 1/4" HWH DP3 FASTENERS W/O
BONDED WASHER PER CLIP

12 GA. STAINLESS STEEL
HIDDEN FASTENER CLIP
(1 PER PANEL, PER SUPPORT)
SET CLIP IN BUTYL SEALANT

2" - 8"

REVISION

REVISION #	DATE
2	7/30/26

FRAMED OPENING JAMB
W/ JAMB TRIM

DETAIL #: HAF-FO-01


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION



FIELD OR FACTORY
APPLIED BUTYL
SEALANT IN PANEL
JOINT(S)

KS JOINT FILLER
GASKET INSTALLED
IN JOINT CAVITY

NOTE: THROUGH FASTENERS FOR
ACCENT FINNS REQUIRED AT PANEL
ENDS. ADDITIONAL STEEL MAY BE
NEEDED.

FRAMED OPENING
(NOT BY KINGSPAN)

EXPOSED SEALANT
(NOT BY KINGSPAN)

MIN. 4 PCF COMPRESSED
MINERAL FIBER


TWO PIECE JAMB / ENDWALL
EXTRUSION BASE
2" PANEL - PART #0214
2.5" PANEL - PART #1063
3" PANEL - PART #0269
4" PANEL - PART #4266

KS JOINT FILLER GASKET
14174

TWO PIECE ENDWALL
EXTRUSION CAP - PART #0215

(2) 1/4" HWH DP3 FASTENERS
W/O BONDED WASHER PER
CLIP

12 GA. STAINLESS STEEL
HIDDEN FASTENER CLIP
(1 PER PANEL, PER SUPPORT)
SET CLIP IN BUTYL SEALANT



CONTINUOUS BUTYL SEALANT
ON BOTH SIDES OF EXTRUSION
W/ MARRIAGE BEAD TO JOINT
FILLER GASKET

1/4"-14x1" PANCAKE DP3
FASTENER W/O WASHER
AT 12" O.C.

FIELD OR FACTORY APPLIED
CONTINUOUS BUTYL SEALANT
IN VERTICAL PANEL JOINT
INSTALLER TO ENSURE THERE
ARE NO GAPS IN SEALANT

ACCENT FIN ASSEMBLY
INSTALLED W/ FASTEN
PRESSURE PLATE W/ 1/4"
PANCAKE DP3 FASTENERS
W/ 5/8" BONDED WASHER AT
PANEL ENDS

ACCENT FIN END CAP W/
POP RIVETS (PREINSTALL)

REVISION

REVISION #	DATE
2	7/30/26

FRAMED OPENING JAMB
W/ EXTRUSION

DETAIL #: HAF-FO-02

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE: THROUGH FASTENERS FOR ACCENT FINIS REQUIRED AT PANEL ENDS. ADDITIONAL STEEL MAY BE NEEDED.



REVISION	
REVISION #	DATE
2	7/30/26

VERTICAL JOINT
W/ 2-PC TOP HAT TRIM

DETAIL #: HAF-VJ-01

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com



HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE: THROUGH FASTENERS FOR ACCENT FINIS REQUIRED AT PANEL ENDS. ADDITIONAL STEEL MAY BE NEEDED.



FIELD OR FACTORY APPLIED BUTYL SEALANT IN PANEL JOINT(S)

KS JOINT FILLER GASKET INSTALLED IN JOINT CAVITY

REVISION	
REVISION #	DATE
2	7/30/26

VERTICAL JOINT
W/ TRIM-LESS ENDS

DETAIL #: HAF-VJ-02

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com




HORIZONTAL PANEL - ACCENT FIN INSTALLATION

NOTE: THROUGH FASTENERS FOR ACCENT FINIS REQUIRED AT PANEL ENDS. ADDITIONAL STEEL MAY BE NEEDED.




ALUMINUM JOINT EXTRUSION ALTERNATIVES



FIELD OR FACTORY APPLIED BUTYL SEALANT IN PANEL JOINT(S)

KS JOINT FILLER GASKET INSTALLED IN JOINT CAVITY



REVISION	
REVISION #	DATE
2	7/30/26

VERTICAL JOINT
W/ EXTRUSION

DETAIL #: HAF-VJ-03

RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com

