

VERTICAL PANEL - ACCENT FIN INSTALLATION

CLICK TO VIEW



VAF-DS-01	C AND I DISCLAIMER
VAF-FP-01	ACCENT FIN PROFILES
VAF-FP-02	ACCENT FIN PROFILES
VAF-IN-01	ACCENT FIN INSTALLATION
VAF-IN-02	ACCENT FIN INSTALLATION
VAF-JA-01	JOINING ACCENT FINS
VAF-JA-02	JOINING ACCENT FINS
VAF-JA-03	ACCENT FIN CAP INSTALLATION
VAF-CAP-01	ACCENT FIN - END CAP AND SPLICES
VAF-CAP-02	ACCENT FIN - END CAP AND SPLICES
VAF-CAP-03	ACCENT FIN - END CAP AND SPLICES
VAF-PJ-01	ENGAGED PANEL JOINT
VAF-PJ-02	INTERMEDIATE SUPPORT
VAF-PJ-03	INTERMEDIATE SUPPORT AT FIN JOINT
VAF-PJ-04	INTERMEDIATE SUPPORT ISOMETRIC
VAF-BS-01	FLUSH BASE
VAF-BS-02	FIELD NOTCHING BASE TRIM
VAF-BS-03	OVERHANG W/ BASE "J" EXTRUSION
VAF-BS-04	FIELD NOTCHING BASE "J" EXTRUSION

REVISION

0	9/5/25
1	9/30/25
2	7/30/26

THIS DETAIL PACKAGE IS FOR THE INSTALLATION OF THE ACCENT PANEL ONLY. FOR TYPICAL PANEL INSTALLATION DETAILS PLEASE REFER TO THE KS SERIES VERTICAL DETAILS.

TITLE SHEET

DETAIL #: VAF-XX-XX

RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

CLICK TO VIEW



VAF-OC-01	OUTSIDE CORNER W/ TRIM
VAF-FO-01	F.O. HEAD W/ TRIM
VAF-FO-02	F.O. SILL W/ TRIM
VAF-FO-03	F.O. HEAD W/ EXTRUSION
VAF-FO-04	F.O. SILL W/ EXTRUSION
VAF-FO-05	FIELD NOTCHING SILL TRIM
VAF-FO-06	FIELD NOTCHING SILL EXTRUSION
VAF-SJ-01	STACK JOINT W/ ACCENT FIN ON TOP
VAF-SJ-02	STACK JOINT W/ ACCENT FIN ON BOTTOM
VAF-SJ-03	STACK JOINT W/ ACCENT FIN
VAF-SJ-04	STACK JOINT W/ ACCENT FIN AT FIN JOINT
VAF-PR-01	PARAPET W/ TRIM

REVISION

0	9/5/25
1	9/30/25
2	7/30/26

THIS DETAIL PACKAGE IS FOR THE INSTALLATION OF THE ACCENT PANEL ONLY. FOR TYPICAL PANEL INSTALLATION DETAILS PLEASE REFER TO THE KS SERIES VERTICAL DETAILS.

TITLE SHEET

DETAIL #: VAF-XX-XX

RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

DISCLAIMERS:

THESE DETAILS ARE PROVIDED AS A GUIDELINE FOR PROPER PANEL AND ASSOCIATED COMPONENT INSTALLATION, AND ARE BASED ON INDUSTRY ACCEPTED PRACTICES.

LOCATION OF VAPOR BARRIERS AND ASSOCIATED SEALANTS IN THESE DETAILS ARE BASED ON TYPICAL DESIGN PRACTICES FOR MOST U.S. CLIMACTIC ZONES. (THE PRIMARY VAPOR BARRIER IS PLACED ON THE "WARM" SIDE IN WINTER).

CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT FASTENING REQUIREMENTS

EXTRUSION SHAPES / ENGAGEMENT MAY VARY FROM THOSE SHOWN.

PROJECTS LOCATED IN AREAS SUBJECT TO EXTREME COLD AND/OR HIGH SNOW LOADS MAY REQUIRE MODIFICATIONS TO THESE DETAILS - CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT RECOMMENDATIONS.

ALL STRUCTURAL SUPPORTS ARE NOT BY KINGSPAN AND ARE SHOWN FOR CLARIFICATION PURPOSES ONLY.

PLEASE VISIT [HTTP://KINGSPANPANELS.US](http://KINGSPANPANELS.US) or [HTTP://WWW.KINGSPANPANELS.CA](http://WWW.KINGSPANPANELS.CA) TO ENSURE YOU ARE VIEWING THE MOST RECENT AND ACCURATE PRODUCT INFORMATION.

CARE HAS BEEN TAKEN TO ENSURE THAT THE CONTENTS OF THIS PUBLICATION ARE ACCURATE, BUT KINGSPAN AND ITS SUBSIDIARY COMPANIES DO NOT ACCEPT RESPONSIBILITY FOR ERRORS OR FOR INFORMATION THAT IS FOUND TO BE MISLEADING. SUGGESTIONS FOR, OR DESCRIPTION OF, THE END USE OR APPLICATION OF PRODUCTS OR METHODS OF WORKING ARE FOR INFORMATION ONLY AND KINGSPAN LIMITED AND ITS SUBSIDIARIES ACCEPT NO LIABILITY IN RESPECT THEREOF.

REVISION	
REVISION #	DATE
2	7/30/26

COMMERCIAL AND INDUSTRIAL
DISCLAIMER

DETAIL #: VAF-DS-01

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com





VERTICAL PANEL - ACCENT FIN INSTALLATION



ACCENT FIN
PRESSURE
PLATE
2000015756





ACCENT FIN
STEPPE
2000015828





ACCENT FIN
CRESCENT
2000015831



ACCENT FIN
SABER
2000015757



ACCENT FIN
LEDGE
2000015833



REVISION	
REVISION #	DATE
2	7/30/26



ACCENT FIN PROFILES

DETAIL #: VAF-FP-01
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com





VERTICAL PANEL - ACCENT FIN INSTALLATION



ACCENT FIN
GLIDE
2000015834





ACCENT FIN
CUBE
2000015832



ACCENT FIN
NEWEL
2000015762



ACCENT FIN
TRACK
2000015829



REVISION	
REVISION #	DATE
2	7/30/26

ACCENT FIN PROFILES

DETAIL #: VAF-FP-02


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com




VERTICAL PANEL - ACCENT FIN INSTALLATION



ACCENT FINS INSTALLED TO THE MALE SIDE OF THE JOINT

WHEN FACE FASTENING:
ACCENT FINS MAY BE INSTALLED IN ANY ORIENTATION



FASTENING GUIDE

PRESSURE PLATE (FACE FASTENED)	1/4"-13x1 1/2" PANCAKE DP1 W/ 5/8" BONDED WASHER	2000009739
PRESSURE PLATE (FASTENED TO STRUCTURE)	1/4"-14 PANCAKE DP3 W/ 5/8" BONDED WASHER	BASED ON PANEL THICKNESS
END CAPS TO FIN	POP RIVET	

REVISION

REVISION #	DATE
2	7/30/26

ACCENT FIN
INSTALLATION

DETAIL #: VAF-IN-01


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION



REVISION	
REVISION #	DATE
2	7/30/26


ACCENT FIN
INSTALLATION

DETAIL #: VAF-IN-02
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.



REVISION	
REVISION #	DATE
2	7/30/26


JOINING ACCENT FIN

DETAIL #: VAF-JA-01
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.



REVISION	
REVISION #	DATE
2	7/30/26


JOINING ACCENT FIN

DETAIL #: VAF-JA-02
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.



NOTE:
STOP PRESSURE PLATE MIN.
1/4" SHORT OF END TO ALLOW
THERMAL MOVEMENT

REVISION	
REVISION #	DATE
2	7/30/26

ACCENT FIN CAP
INSTALLATION

DETAIL #: VAF-JA-03
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE: SEE DETAIL VAF-JA-01 TO VAF-JA-03 FOR SPLICE PLATE AND CAP INSTALLATION

NOTE: SEE DETAIL VAF-FP-01 AND VAF-FP-02 FOR ACCENT FIN PROFILES

STOP RECEIVER PLATE MIN.
0.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT

EC-1168 END CAP

POP RIVET (PAINTED)

STEPPE FIN

FC-1168

STOP RECEIVER PLATE MIN.
0.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT

EC-1168 END CAP


POP RIVET (PAINTED)

STEPPE FIN


FC-1168

SECTION VIEW

FRONT VIEW



END CAP PART: EC-1168
2000016135



SPLICE PLATE PART: SPL-1168
2000016143

ACCENT FIN STEPPE

STOP RECEIVER PLATE MIN.
0.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT

EC-1514 END CAP W/
3/4"-14x1" PANCAKE
DP3 FASTENER
(PAINTED HEAD)

CRESCENT FIN

FC-1514

STOP RECEIVER PLATE MIN.
0.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT


EC-1514 END CAP W/
3/4"-14x1" PANCAKE
DP3 FASTENER
(PAINTED HEAD)

CRESCENT FIN

FC-1514

SECTION VIEW

FRONT VIEW



END CAP PART: EC-1514
2000016129

NOTE:
SPLICE PLATE NOT APPLICABLE
FOR THIS CONDITION

ACCENT FIN CRESCENT

STOP RECEIVER PLATE MIN.
1.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT

EC-1421/1678 END CAP
W/ POP RIVET (PAINTED)

SABER FIN

FC-1678

STOP RECEIVER PLATE MIN.
1.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT

EC-1421/1678 END CAP


POP RIVET (PAINTED)

SABER FIN


FC-1678

SECTION VIEW

FRONT VIEW



END CAP PART: EC-1421/1678
2000016136



SPLICE PLATE PART: SPL-1678
2000016141

ACCENT FIN SABER

REVISION

REVISION #	DATE
2	7/30/26

ACCENT FIN
END CAP AND SPLICES

DETAIL #: VAF-CAP-01

RELEASE: 2026

REGION: NORTH AMERICA


www.kingspanpanels.com




VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE: SEE DETAIL VAF-JA-01 TO VAF-JA-03 FOR SPLICE PLATE AND CAP INSTALLATION


NOTE: SEE DETAIL VAF-FP-01 AND VAF-FP-02 FOR ACCENT FIN PROFILES




SECTION VIEW



FRONT VIEW




END CAP PART: EC-2800
2000016133




SPLICE PLATE PART: SPL-2800
2000016142


ACCENT FIN LEDGE




SECTION VIEW



FRONT VIEW




END CAP PART: EC-1602
LEFT HAND: 2000016131
RIGHT HAND: 2000016132




SPLICE PLATE PART: SPL-1602
2000016139


ACCENT FIN GLIDE




SECTION VIEW



FRONT VIEW



END CAP PART: EC-2040
2000016130



SPLICE PLATE PART: SPL-2040
2000016138

ACCENT FIN CUBE

REVISION	
REVISION #	DATE
2	7/30/26

ACCENT FIN
END CAP AND SPLICES

DETAIL #: VAF-CAP-02
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

STOP RECEIVER PLATE MIN.
0.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT

EC-2831
END CAP

POP RIVET
(PAINTED)

NEWEL FIN
FC-2831

4 3/4" 2" - 8"

SECTION VIEW

STOP RECEIVER PLATE MIN.
0.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT

EC-2831 END CAP

POP RIVET (PAINTED)


NEWEL FIN
FC-2831

2 1/2" FRONT VIEW

ACCENT FIN NEWEL

NOTE: SEE DETAIL VAF-JA-01 TO
VAF-JA-03 FOR SPLICE PLATE
AND CAP INSTALLATION

NOTE: SEE DETAIL VAF-FP-01
AND VAF-FP-02 FOR ACCENT FIN
PROFILES



END CAP PART: EC-2831
2000016134

SPLICE PLATE PART: SPL-2831
2000016140

STOP RECEIVER PLATE MIN.
1.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT

EC-1421/1678 END CAP

POP RIVET (PAINTED)

TRACK FIN
FC-1421

1" 2" - 8"

SECTION VIEW

STOP RECEIVER PLATE MIN.
1.25" SHORT OF END TO
ALLOW THERMAL MOVEMENT


EC-1421/1678 END CAP

POP RIVET (PAINTED)

TRACK FIN
FC-1421


2 1/2" FRONT VIEW

ACCENT FIN TRACK



END CAP PART: EC-1421/1678
2000016136

SPLICE PLATE PART: SPL-1421
2000016144



SPLICE PLATE PART: SPL-1421
2000016144

REVISION

REVISION #	DATE
2	7/30/26

ACCENT FIN
END CAP AND SPLICES

DETAIL #: VAF-CAP-03

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com




VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.



ACCENT FIN NOT TO BE INSTALLED
THROUGH FEMALE JOINT



WALL PANEL INSTALLATION DIRECTION →

FOR FASTENING, SEE INSTALLATION DETAILS VAF-IN-01 AND VAF-IN-02

REVISION	
REVISION #	DATE
2	7/30/26

ENGAGED
PANEL JOINT


DETAIL #: VAF-PJ-01
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.

NOTE:
ACCENT FIN MUST BE ADJACENT
TO THE FLASHING OR TRIM FOR
ALL DETAIL CONDITIONS.
DO NOT OVERLAP.



NOTE: CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT RECOMMENDATIONS

REVISION	
REVISION #	DATE
2	7/30/26

INTERMEDIATE SUPPORT


DETAIL #: VAF-PJ-02
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FIN STEPPE SHOWN.
INSTALLATION SIMILAR FOR ALL
ACCENT FIN CONFIGURATIONS.

NOTE: SEE DETAIL VAF-JA-01 TO
VAF-JA-03 FOR SPLICE PLATE
AND CAP INSTALLATION



NOTE: CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT RECOMMENDATIONS

REVISION	
REVISION #	DATE
2	7/30/26

INTERMEDIATE SUPPORT
AT FIN JOINT

DETAIL #: VAF-PJ-03


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION



REVISION	
REVISION #	DATE
2	7/30/26


INTERMEDIATE SUPPORT
ISOMETRIC

DETAIL #: VAF-PJ-04
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



NOTE: SEE DETAIL VAF-BS-02 FOR TRIM NOTCH
INSTRUCTIONS (ISOMETRIC VIEW)

NOTE: REFER TO KINGSPAN PANEL DETAILS
FOR DIFFERENT BASE CONDITIONS.


REVISION	
REVISION #	DATE
2	7/30/26

FLUSH BASE

DETAIL #: VAF-BS-01
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com




VERTICAL PANEL - ACCENT FIN INSTALLATION



FIELD PAINT ALL CUTS
WITH PROVIDED
TOUCH-UP PAINT

SIZE OF NOTCH WILL
VARY WITH ACCENT
FIN SELECTION



KINGSPAN INSULATED PANEL
NOT SHOWN FOR CLARITY

REVISION	
REVISION #	DATE
2	7/30/26

FIELD NOTCHING
BASE TRIM

DETAIL #: VAF-BS-02

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



NOTE: SEE DETAIL VAF-BS-04 FOR EXTRUSION NOTCH
INSTRUCTIONS (ISOMETRIC VIEW)

NOTE: REFER TO KINGSPAN PANEL DETAILS
FOR DIFFERENT BASE CONDITIONS.

REVISION	
REVISION #	DATE
2	7/30/26

OVERHANG W/
BASE "J" EXTRUSION

DETAIL #: VAF-BS-03


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION




FIELD PAINT ALL CUTS WITH PROVIDED TOUCH-UP PAINT

SIZE OF NOTCH WILL VARY WITH ACCENT FIN SELECTION

FIELD REMOVE LEG OF EXTRUSION AT FIN LOCATIONS, USE PROVIDED TOUCH-UP PAINT ON ANY CUT SURFACES (NOT BY KINGSPAN)



SECTION VIEW



WIPER GASKET (FIELD INSTALLED)

KINGSPAN INSULATED PANEL NOT SHOWN FOR CLARITY

REVISION	
REVISION #	DATE
2	7/30/26

FIELD NOTCHING
BASE "J" EXTRUSION

DETAIL #: VAF-BS-04

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
ACCENT FINES MUST BE ADJACENT
TO THE FLASHING OR TRIM FOR ALL
DETAIL CONDITIONS.
DO NOT OVERLAP.



OUTSIDE CORNER
W/ TRIM

DETAIL #: VAF-OC-01

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



NOTE: SEE DETAIL VAF-BS-03 FOR TRIM NOTCH
INSTRUCTIONS (ISOMETRIC VIEW)

REVISION	
REVISION #	DATE
2	7/30/26

FRAMED OPENING HEAD
W/ TRIM

DETAIL #: VAF-FO-01

RELEASE: 2026


REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



NOTE: SEE DETAIL VAF-FO-05 FOR TRIM NOTCH INSTRUCTIONS (ISOMETRIC VIEW)

REVISION	
REVISION #	DATE
2	7/30/26

FRAMED OPENING SILL
W/ TRIM

DETAIL #: VAF-FO-02

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



NOTE: SEE DETAIL VAF-BS-04 FOR EXTRUSION NOTCH
INSTRUCTIONS (ISOMETRIC VIEW)

REVISION	
REVISION #	DATE
2	7/30/26

FRAMED OPENING HEAD
W/ EXTRUSION

DETAIL #: VAF-FO-03

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com




VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



KS JOINT FILLER GASKET
INSTALLED IN JOINT CAVITY

FIELD OR FACTORY APPLIED
BUTYL SEALANT IN PANEL
JOINT(S)



NOTE: SEE DETAIL VAF-FO-06 FOR EXTRUSION NOTCH
INSTRUCTIONS (ISOMETRIC VIEW)

REVISION	
REVISION #	DATE
2	7/30/26

FRAMED OPENING SILL
W/ EXTRUSION

DETAIL #: VAF-FO-04


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION



FIELD NOTCH LEG OF TRIM AT FIN LOCATIONS, USE PROVIDED TOUCH-UP PAINT ON ANY CUT SURFACES (NOT BY KINGSPAN)

SECTION VIEW

KINGSPAN INSULATED PANEL NOT SHOWN FOR CLARITY

REVISION	
REVISION #	DATE
2	7/30/26

FIELD NOTCHING
SILL TRIM

DETAIL #: VAF-FO-05


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com





VERTICAL PANEL - ACCENT FIN INSTALLATION



FIELD PAINT ALL CUTS WITH PROVIDED TOUCH-UP PAINT

SIZE OF NOTCH WILL VARY WITH ACCENT FIN SELECTION

FIELD NOTCH LEG OF EXTRUSION AT FIN LOCATIONS, USE PROVIDED TOUCH-UP PAINT ON ANY CUT SURFACES (NOT BY KINGSPAN)



KINGSPAN INSULATED PANEL NOT SHOWN FOR CLARITY

REVISION	
REVISION #	DATE
2	7/30/26

FIELD NOTCHING
SILL EXTRUSION

DETAIL #: VAF-FO-06

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



KS JOINT FILLER GASKET
INSTALLED IN JOINT CAVITY

FIELD OR FACTORY APPLIED
BUTYL SEALANT IN PANEL
JOINT(S)

REVISION	
REVISION #	DATE
2	7/30/26

STACK JOINT
W/ ACCENT FIN ON TOP

DETAIL #: VAF-SJ-01

RELEASE: 2026

REGION: NORTH AMERICA



www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:

THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



KS JOINT FILLER GASKET
INSTALLED IN JOINT CAVITY

FIELD OR FACTORY APPLIED
BUTYL SEALANT IN PANEL
JOINT(S)

REVISION	
REVISION #	DATE
2	7/30/26

STACK JOINT
W/ ACCENT FIN ON BOTTOM

DETAIL #: VAF-SJ-02

RELEASE: 2026

REGION: NORTH AMERICA



www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:

THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



KS JOINT FILLER GASKET
INSTALLED IN JOINT CAVITY

FIELD OR FACTORY APPLIED
BUTYL SEALANT IN PANEL
JOINT(S)

REVISION

REVISION #	DATE
2	7/30/26

STACK JOINT
W/ ACCENT FIN

DETAIL #: VAF-SJ-03

RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.

NOTE: SEE DETAIL VAF-JA-01 TO
VAF-JA-03 FOR SPLICE PLATE
AND CAP INSTALLATION

ACCENT FIN ASSEMBLY
INSTALLED W/ 1/4"-13x1 1/2"
PANCAKE DP1 FASTENERS W/
5/8" BONDED WASHER AT 9" O.C.

FASTEN PRESSURE PLATE
W/ 1/4" PANCAKE DP3
FASTENERS W/ 5/8" BONDED
WASHER AT PANEL ENDS

CONTINUOUS BUTYL
SEALANT BELOW
STACK FLASHING

SPLICE PLATE W/ POP RIVET

BASE TRIM W/ POP RIVETS AT 8" O.C.
FIELD NOTCHED FOR ACCENT FIN

STACK FLASHING W/ POP RIVETS
FIELD NOTCHED FOR ACCENT FIN

KS JOINT FILLER GASKET
14174

12 GA. STAINLESS STEEL
HIDDEN FASTENER CLIP
(1 PER PANEL, PER SUPPORT)
SET CLIP IN BUTYL SEALANT

(2) 1/4" HWH DP3 FASTENERS
W/O BONDED WASHER PER
CLIP

FIELD OR FACTORY APPLIED
CONTINUOUS BUTYL SEALANT
IN VERTICAL PANEL JOINT
INSTALLER TO ENSURE THERE
ARE NO GAPS IN SEALANT

1/4"-14x1" PANCAKE DP3
FASTENER W/O
WASHER AT 12" O.C.

CONTINUOUS BUTYL
SEALANT W/ MARRIAGE
BEAD TO VERTICAL
PANEL JOINT


HORIZONTAL SUPPORT
(NOT BY KINGSPAN)

CONTINUOUS 3" X 3" W/
FASTEN AS REQUIRED
(GAUGE TO MATCH GIRT)
(NOT BY KINGSPAN)

CONTINUOUS BUTYL
SEALANT W/ MARRIAGE
BEAD TO JOINT FILLER
GASKET

CAP TRIM W/ 1/4"-14x1"
PANCAKE DP3 FASTENER
W/O WASHER AT 12" O.C.

FIELD OR FACTORY APPLIED
CONTINUOUS BUTYL SEALANT
IN VERTICAL PANEL JOINT
INSTALLER TO ENSURE THERE
ARE NO GAPS IN SEALANT



KS JOINT FILLER GASKET
INSTALLED IN JOINT CAVITY

FIELD OR FACTORY APPLIED
BUTYL SEALANT IN PANEL
JOINT(S)

REVISION

REVISION #	DATE
2	7/30/26

STACK JOINT
W/ ACCENT FIN
AT FIN JOINT

DETAIL #: VAF-SJ-04

RELEASE: 2026



REGION: NORTH AMERICA

www.kingspanpanels.com



VERTICAL PANEL - ACCENT FIN INSTALLATION

NOTE:
THROUGH FASTENERS FOR ACCENT
FINS REQUIRED AT PANEL ENDS.
ADDITIONAL STEEL MAY BE NEEDED.



KS JOINT FILLER GASKET
INSTALLED IN JOINT CAVITY

FIELD OR FACTORY APPLIED
BUTYL SEALANT IN PANEL
JOINT(S)

REVISION	
REVISION #	DATE
2	7/30/26

PARAPET
W/ TRIM

DETAIL #: VAF-PR-01

RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com

