

KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION

CLICK TO VIEW



REVISION

0	8/19/26

KPV-DS-01-BRICK
KPV-PJ-01-BRICK

C AND I DISCLAIMER
ENGAGED PANEL JOINT
W/ KING TIE

KPV-PJ-02-BRICK
KPV-BS-01-BRICK
KPV-BS-02-BRICK
KPV-OC-01-BRICK

STACK JOINT DETAIL
BASE DETAIL W/ PANEL JOINT
BASE LAYERING

KPV-IC-01-BRICK
KPV-FO-01-BRICK
KPV-FO-02-BRICK
KPV-FO-03-BRICK
KPV-FO-04-BRICK
KPV-FO-05-BRICK
KPV-FO-06-BRICK
KPV-FO-07-BRICK
KPV-FO-08-BRICK
KPV-FO-09-BRICK
KPV-TF-01-BRICK
KPV-PR-01-BRICK
KPV-PR-02-BRICK
KPV-SA-01-BRICK
KPV-SA-02-BRICK

OUTSIDE CORNER - STANDARD CUT END
INSIDE CORNER - STANDARD CUT END
F.O. HEADER CONDITION AT PANEL JOINT
F.O. HEADER CONDITION AT MID PANEL
F.O. JAMB CONDITION
F.O. SILL CONDITION AT PANEL JOINT
F.O. SILL CONDITION AT MID PANEL
F.O. JAMB TO SILL FLASHING
F.O. JAMB TO HEADER FLASHING
F.O. JAMB TO SILL ASSEMBLY
F.O. JAMB TO HEADER ASSEMBLY
VERTICAL TRANSITION
PARAPET CONDITION AT PANEL JOINT
PARAPET CONDITION AT MID PANEL
SHELF ANGLE AT PANEL JOINT
SHELF ANGLE AT MID PANEL

INDEX SHEET

DETAIL #: KPV-XX-XX-BRICK

RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION

DISCLAIMERS:

THESE DETAILS ARE PROVIDED AS A GUIDELINE FOR PROPER PANEL AND ASSOCIATED COMPONENT INSTALLATION, AND ARE BASED ON INDUSTRY ACCEPTED PRACTICES.

LOCATION OF VAPOR BARRIERS AND ASSOCIATED SEALANTS IN THESE DETAILS ARE BASED ON TYPICAL DESIGN PRACTICES FOR MOST U.S. CLIMATIC ZONES. (THE PRIMARY VAPOR BARRIER IS PLACED ON THE "WARM" SIDE IN WINTER).

CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT FASTENING REQUIREMENTS

EXTRUSION SHAPES / ENGAGEMENT MAY VARY FROM THOSE SHOWN.

PROJECTS LOCATED IN AREAS SUBJECT TO EXTREME COLD AND/OR HIGH SNOW LOADS MAY REQUIRE MODIFICATIONS TO THESE DETAILS - CONTACT KINGSPAN TECHNICAL SERVICES FOR SPECIFIC PROJECT RECOMMENDATIONS.

ALL STRUCTURAL SUPPORTS ARE NOT BY KINGSPAN AND ARE SHOWN FOR CLARIFICATION PURPOSES ONLY.

PLEASE VISIT [HTTP://KINGSPANPANELS.US](http://kingspanpanels.us) or [HTTP://WWW.KINGSPANPANELS.CA](http://www.kingspanpanels.ca) TO ENSURE YOU ARE VIEWING THE MOST RECENT AND ACCURATE PRODUCT INFORMATION.

CARE HAS BEEN TAKEN TO ENSURE THAT THE CONTENTS OF THIS PUBLICATION ARE ACCURATE, BUT KINGSPAN AND ITS SUBSIDIARY COMPANIES DO NOT ACCEPT RESPONSIBILITY FOR ERRORS OR FOR INFORMATION THAT IS FOUND TO BE MISLEADING. SUGGESTIONS FOR, OR DESCRIPTION OF, THE END USE OR APPLICATION OF PRODUCTS OR METHODS OF WORKING ARE FOR INFORMATION ONLY AND KINGSPAN LIMITED AND ITS SUBSIDIARIES ACCEPT NO LIABILITY IN RESPECT THEREOF.

REVISION	
REVISION #	DATE
0	8/19/26

COMMERCIAL AND INDUSTRIAL
DISCLAIMER

DETAIL #: KPV-DS-01-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION




REVISION	
REVISION #	DATE
0	8/19/26

ENGAGED PANEL JOINT
W/ KING TIE

DETAIL #: KPV-PJ-01-BRICK
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



REVISION

REVISION #	DATE
0	8/19/26

STACK JOINT DETAIL

DETAIL #: KPV-PJ-02-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

BASE DETAIL
W/ PANEL JOINT

DETAIL #: KPV-BS-01-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:
1) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS


REVISION	
REVISION #	DATE
0	8/19/26

BASE LAYERING

DETAIL #: KPV-BS-02-BRICK
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

OUTSIDE CORNER
STANDARD CUT END

DETAIL #: KPV-OC-01-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION




REVISION	
REVISION #	DATE
0	8/19/26

INSIDE CORNER
STANDARD CUT END

DETAIL #: KPV-IC-01-BRICK
RELEASE: 2026
REGION: NORTH AMERICA
www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1)** MEMBRANE LINED METAL FLASHING PAN WITH SEALED END DAMS OR CORROSION RESISTANT PAN WITH SOLDERED/SEALED END DAMS ACCEPTABLE ALTERNATES
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
HEADER CONDITION
AT PANEL JOINT

DETAIL #: KPV-FO-01-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1)** MEMBRANE LINED METAL FLASHING PAN WITH SEALED END DAMS OR CORROSION RESISTANT PAN WITH SOLDERED/SEALED END DAMS ACCEPTABLE ALTERNATES
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
HEADER CONDITION
AT MID PANEL

DETAIL #: KPV-FO-02-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
JAMB CONDITION

DETAIL #: KPV-FO-03-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1)** MEMBRANE LINED METAL FLASHING PAN WITH SEALED END DAMS OR CORROSION RESISTANT PAN WITH SOLDERED/SEALED END DAMS ACCEPTABLE ALTERNATES
- 2) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 3) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
SILL CONDITION
AT PANEL JOINT

DETAIL #: KPV-FO-04-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1)** MEMBRANE LINED METAL FLASHING PAN WITH SEALED END DAMS OR CORROSION RESISTANT PAN WITH SOLDERED/SEALED END DAMS ACCEPTABLE ALTERNATES
- 2) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 3) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
SILL CONDITION
AT MID PANEL

DETAIL #: KPV-FO-05-BRICK


RELEASE: 2026

REGION: NORTH AMERICA


www.kingspanpanels.com




KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION




FORMED CORNER PATCH
SELF ADHERING VAPOR BARRIER



MEMBRANE CORNER PATCH
SELF ADHERING VAPOR BARRIER



CONTINUOUS SILL
SELF ADHERING VAPOR BARRIER



CONTINUOUS JAMB
SELF ADHERING VAPOR BARRIER

NOTES:

- 1) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS
- 2) REFER TO SELF ADHERING VAPOR BARRIER MANUFACTURER'S INSTRUCTION AND GUIDELINES FOR RECOMMENDED INSTALLATION.

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
JAMB TO SILL FLASHING

DETAIL #: KPV-FO-06-BRICK


RELEASE: 2026

REGION: NORTH AMERICA


www.kingspanpanels.com




KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION




FORMED CORNER PATCH
SELF ADHERING VAPOR BARRIER



MEMBRANE CORNER PATCH
SELF ADHERING VAPOR BARRIER



CONTINUOUS JAMB
SELF ADHERING VAPOR BARRIER



CONTINUOUS HEAD
SELF ADHERING VAPOR BARRIER

NOTES:

- 1) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS
- 2) REFER TO SELF ADHERING VAPOR BARRIER MANUFACTURER'S INSTRUCTION AND GUIDELINES FOR RECOMMENDED INSTALLATION.

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
JAMB TO HEADER FLASHING

DETAIL #: KPV-FO-07-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1)** MEMBRANE LINED METAL FLASHING PAN WITH SEALED END DAMS OR CORROSION RESISTANT PAN W/ SOLDERED/SEALED END DAMS ACCEPTABLE ALTERNATES
- 2) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 3) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS W/ ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
JAMB TO SILL ASSEMBLY

DETAIL #: KPV-FO-08-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1)** MEMBRANE LINED METAL FLASHING PAN WITH SEALED END DAMS OR CORROSION RESISTANT PAN WITH SOLDERED/SEALED END DAMS ACCEPTABLE ALTERNATES
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

FRAMED OPENING
JAMB TO HEADER ASSEMBLY

DETAIL #: KPV-FO-09-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

VERTICAL TRANSITION

DETAIL #: KPV-TF-01-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

PARAPET CONDITION
AT PANEL JOINT

DETAIL #: KPV-PR-01-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

PARAPET CONDITION
AT MID PANEL

DETAIL #: KPV-PR-02-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

SHELF ANGLE
AT PANEL JOINT

DETAIL #: KPV-SA-01-BRICK


RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com



KARRIER™ PANEL - BRICK - VERTICAL INSTALLATION



NOTES:

- 1) USE A METAL FILE TO REMOVE ANY BURRS AT PANEL EDGES BEFORE INSTALLING MEMBRANE
- 2) ARCHITECT AND/OR CONTRACTOR MUST VERIFY COMPATIBILITY OF MEMBRANE MATERIALS WITH ADJOINING SEALANT MATERIALS

REVISION

REVISION #	DATE
0	8/19/26

SHELF ANGLE
AT MID PANEL

DETAIL #: KPH-SA-02-BRICK

RELEASE: 2026

REGION: NORTH AMERICA

www.kingspanpanels.com

